

BGCD-120LID/S-ZD1-IV
CORDLESS DRILL

Voltage	12V
Battery capacity	1300mAh
No load speed	0-650/ 0-350/0-1300/min
Torque setting	21+D
Max torque	15/28N.m
Chunk size	10mm

BGCD-144LISC-ZD2-IV
IMPACT CORDLESS DRILL

Voltage	14.4V
Battery capacity	1300mAh
No load speed	0-350/0-1350min
Torque setting	21+2
Max torque	32N.m
Chunk size	10mm

BGCD-144LID/S-ZD2-IV
CORDLESS DRILL

Voltage	14.4V
Battery capacity	1300mAh
No load speed	0-650/ 0-350/0-1350min
Torque setting	21+D
Max torque	16/32N.m
Chunk size	10mm

BGCD-180LISC-ZD2-IV
IMPACT CORDLESS DRILL

Voltage	18V
Battery capacity	1300mAh
No load speed	0-350/0-1350/min
Torque setting	21+2
Max torque	35N.m
Chunk size	10mm

BGCD-180LID/S-ZD2-IV
CORDLESS DRILL

Voltage	18V
Battery capacity	1300mAh
No load speed	0-650/0-350/0-1350min
Torque setting	21+D
Max torque	17/35N.m
Chunk size	10mm

BGID-500/65013-VI
IMPACT DRILL

Voltage	230-240V~50/60Hz
Input power	500/650W
No load speed	0-3000/min
Chunk size	13mm


BGMG-135-JDC
MINI GRINDER

Voltage	230V~50Hz
Input power	135W
No load speed	10000-32000/min
Chuck size	2.4mm,3.2mm


BGEP-710-ZY
PLANER

Voltage	230V~ 50Hz
Input power	710W
No load speed	16000/min
Planning wide*depth	82*2mm


BGCS-1200185-ZA
Circular SAW

Voltage	120/230V~ 50/60Hz
Input power	1200W
No load speed	5500/min
Blade dia	185mm


BGEE-13-JC
ELECTRIC ENGRAVER

Voltage	230V~ 50Hz
Input power	13W
No load speed	7200/min


BGRH-150032-ZX
ROTARY HAMMER

Voltage	230V~ 50Hz
Input power	1250/1500W
No load speed	800/min
Impact rate	4000/min
Drilling Diameter	32mm


BGCM-2100H-JS
CUT-OFF MACHINE

Voltage	230-240V~50Hz
Input power	2100W
No load speed	3800min
Disc dia	355mm

BGCD-120LiSC-ZY
CORDLESS IMPACT DRILL

- With LED battery capacity display
- With LED working light
- With soft grip for comfortable use

Voltage	12V
Battery capacity	1300mAh
No load speed	0-350/0-1300/min
Torque setting	17+1+1
Max torque	25N.m
Chunk size	10mm


LI-ION
BGCD-144Li/S/180Li/S-ZY
CORDLESS DRILL

- With working light and power induction
- With impact function

Voltage	14.4/18V
Battery capacity	1300mAh
No load speed	0-750/0-400/0-1500min
Torque setting	22+1
Max torque	20/30N.m
Chunk size	10mm


BGCD-120Li/S-ZY
CORDLESS DRILL

- With LED battery capacity display
- With LED working light
- With soft grip for comfortable use

Voltage	12V
Battery capacity	1300mAh
No load speed	0-750/0-350/0-1300min
Torque setting	17+1
Max torque	15/25N.m
Chunk size	10mm


LI-ION
BGCD-120Li/120LiS-ZH
CORDLESS DRILL

- With working light

Voltage	12V
Battery capacity	1300mAh
No load speed	0-650/0-400/0-1350/min
Torque setting	20+1/22+1
Max torque	20/30N.m
Chunk size	10mm


BGCD-144/180LiSC-ZY
CORDLESS IMPACT DRILL

- With LED battery capacity display
- With LED working light

Voltage	14.4/18V
Battery capacity	1300mAh
No load speed	0-400/0-1500min
Torque setting	22+1+1
Max torque	30N.m
Chunk size	10mm


LI-ION
BGCD-144Li/144LiS-ZH
CORDLESS DRILL

- With working light

Voltage	14.4V
Battery capacity	1300mAh
No load speed	0-650/0-400/0-1350min
Torque setting	20+1/22+1
Max torque	20/30N.m
Chunk size	10mm




BGCD-180Li/180LiS-ZH
CORDLESS DRILL

- With working light

Voltage	18V
Battery capacity	1300mAh
No load speed	0-650/0-400/1350/min
Torque setting	20+1/22+1
Max torque	20/30N.m
Chunk size	10mm


BGID-1050-ZSC
IMPACT DRILL

- With working light

Voltage	230V~50Hz
Input power	1050W
No load speed	0-1000/0-3000/min
Chunk size	13mm


BGID-600-ZSC
IMPACT DRILL

- Soft grip for the comfortable use

Voltage	230V~50Hz
Input power	600W
No load speed	0-3000/min
Chunk size	13mm


BGCRH-180LI-ZY
ROTARY HAMMER

- Soft grip for the comfortable use

Voltage	18V
Battery capacity	1300mAh
No load speed	0-900/min
Impact frequency	0-4300/min
Impact energy	1.0J
Chuck type	SDS-PLUS
Max. drilling capacity:	12mm


BGID-710-ZSC
IMPACT DRILL

- Soft grip for the comfortable use

Voltage	230V~50Hz
Input power	710W
No load speed	0-3200/min
Chunk size	13mm


BGRH-500-ZZ
ROTARY HAMMER

Voltage	230V~50Hz
Input power	500W
No load speed	0-1000/min
Impact frequency	0-3900/min
Impact energy	2.0J
Chuck type	SDS-PLUS
Max. drilling capacity:	20mm

**BGID-500-ZSC****IMPACT DRILL**

Voltage	230-240V~50/60Hz
Input power	500/650W
No load speed	0-3000/min
Chunk size	13mm

**BGAG-500115-VI****ANGLE GRINDER**

Voltage	230-240V~50/60Hz
Input power	500/600W
No load speed	12000/min
Disc diameter	115mm

**BGID-750-ZSC****IMPACT DRILL**

Voltage	230-240V~50/60Hz
Input power	750/850/950W
No load speed	0-3000/min
Chunk size	13mm

**BGAG-600-ZT****ANGLE GRINDER**

Voltage	230-240V~50/60Hz
Input power	600/710/800/900W
No load speed	12000/min
Max Disc Diameter	115/125mm

**BGAG-910/1200-ZS****IMPACT DRILL**

Voltage	230-240V~50/60Hz
Input power	750/850/950W
No load speed	0-3000/min
Chunk size	13mm

**BGAG-900-ZT****ANGLE GRINDER**

Voltage	230-240V~50/60Hz
Input power	900/1200W
No load speed	0-12000/min
Max Disc Diameter	115/125mm

BGRH-620-ZZ
ROTARY HAMMER

- Light weight for comfortable use



Voltage	230V~50Hz
Input power	620W
No load speed	0-1000/min
Impact frequency	0-4850/min
Impact energy	2.2J
Chuck type	SDS-PLUS
Max. drilling capacity:	24mm

BGDH-1700-ZJ
DEMOLITION HAMMER


Voltage	230V~50Hz
Input power	1700W
No load speed	1900/min
Impact energy	45J
Chuck:	SDS-hex 30mm

BGRH-800-ZZ
ROTARY HAMMER

- Light weight for comfortable use



Voltage	230V~50Hz
Input power	800W
No load speed	0-930/min
Impact frequency	0-5000/min
Impact energy	2.8J
Chuck type	SDS-PLUS
Max. drilling capacity:	26mm


BGSC-36LI-ZT
CORDLESS SCREWDRIVER

- New designing
- With power induction

Voltage	3.6V
Battery capacity	1300mAh
No load speed	210/min
Torque	4N.m
Chuck	6.35mm

BGRH-850-ZJ
ROTARY HAMMER


Voltage	230V~50Hz
Input power	850W
No load speed	800/min
Impact frequency	0-3600/min
Impact energy	4.5J
Chuck type	SDS-PLUS
Max. drilling capacity:	26mm


BGSC-36LI-ZB
CORDLESS SCREWDRIVER

- With power induction

Voltage	3.6V
Battery capacity	1300mAh
No load speed	180/min
Torque	2.5N.m
Chuck	6.35mm


BGED-280-ZD
TORQUE DRILL

Voltage	230-240V~50Hz
Input power	280W
No load speed	0-800/min
Chuck	10mm
Torque setting	17+1
Max torque	15N.m


BGMG-135-JX
MINI GRINDER

- Soft grip for the comfortable use

Voltage	230V~50Hz
Input power	135W
No load speed	8000-32500/min
Chuck size	1.6mm/2.4mm/3.2mm


BGED-280-ZD1
TORQUE DRILL

Voltage	230-240V~50Hz
Input power	280W
No load speed	0-750/min
Chuck	10mm
Torque setting	15+1
Max torque	15N.m


BGMG-135-JDC
MINI GRINDER

- Soft grip for the comfortable use
- Window display box with 175pcs acc.

Voltage	230V~50Hz
Input power	130W
No load speed	10000-32000/min
Chunk size	2.4mm,3.2mm


BGMG-130-JC
MINI GRINDER

Voltage	230V~50Hz
Input power	130W
No load speed	8000-30000/min
Chuck size	1.6mm/2.4mm/3.2mm


BGAG-850-ZJ
ANGLE GRINDER

Voltage	230V~50Hz
Input power	850W
No load speed	12000/min
Disc size	115/125mm


BGAG-750/900-ZJ
ANGLE GRINDER

Voltage	230-240V~50Hz
Input power	750/900W
No load speed	12000/min
Disc size	115/125mm


BGAG-2350-ZS
ANGLE GRINDER

Voltage	230V~50Hz
Input power	2350W
No load speed	6500/min
Disc size	230mm


BGAG-2000-ZJ
ANGLE GRINDER

- Easy to changing carbon brush

Voltage	230V~50Hz
Input power	2000W
No load speed	6500/min
Disc size	230mm


BGEPA-1010-ZJ
ELECTRIC POLISHER

- Easy to changing carbon brush

Voltage	230V~50Hz
Input power	1010W
No load speed	1000-4500/min
Pad diameter	180mm


BGAG-910/1200-ZS
ANGLE GRINDER

Voltage	230V~50Hz
Input power	910/1200W
No load speed	12000/min
Disc size	125mm


BGAP-1400/1600-ZJ
ANGLE POLISHER

- Easy to changing carbon brush

Voltage	230V~50Hz
Input power	1400/1600W
No load speed	1000-3000/min
Disc size	180mm


BGMS-1303-JX
MOUSE SANDER

Voltage	230V~50Hz
Input power	105/130W
No load speed	13000/min
Pad size	140x140x80mm


BGMS-105-JC
MOUSE SANDER

Voltage	230V~ 50Hz
Input power	105W
No load speed	13000/min
Pad size	140x140x80mm


BGMS-105/130-JX
MOUSE SANDER

Voltage	230V~50Hz
Input power	105/130W
No load speed	13000/min
Pad size	140x140x80mm


BGDS-710-ZH
DRYWALL SANDER

- Detachable brush segment allows sanding up to edge
- Self-suction with dust extracting system, no vacuum cleaner is required
- Soft start-up to protect and prolong the service life of motor

Voltage	230V~50Hz
Input power	710W
No load speed	1200-2200/min
Pad size	175mm


BGMS-105-JX
MOUSE SANDER

Voltage	230V~50Hz
Input power	105W
No load speed	13000/min
Pad size	140x140x80mm


BGDS-710-ZH1
DRYWALL SANDER

- Soft start-up to protect and prolong the service life of motor
- Detachable brush segment allows sanding up to edge
- LED light is available if required

Voltage	230V~50Hz
Input power	710W
No load speed	800-1700/min
Pad size	225mm

BGFS-280-JX
FINISHING SANDER

Voltage	230V~50Hz
Input power	280W
No load speed	12000/min
Pad size	115x230mm


BGDS-180-JJ
DELTA SANDER

Voltage	230V~ 50Hz
Input power	180W
No load speed	10000/min
Pad size	90X90X90mm


BGFS-300-JX
FINISHING SANDER

Voltage	230V~50Hz
Input power	300W
No load speed	12000/min
Pad size	115x230mm


BGBS-900-ZS
BELT SANDER

Voltage	230-240V~50Hz
Input power	900W
No load speed	420/min
Belt size	76x533mm


BGFS-135/150-JX
FINISHING SANDER

Voltage	230V~50Hz
Input power	135/150W
No load speed	12000/min
Pad size	90X187mm


BGMS-260-JJ
MULTI SANDER

Voltage	230V~50Hz
Input power	260W
No load speed	0-14000/min
Base size	
Delta sander	162X100mm
Rotary sander	125mm
Finishing sander	100 X 110mm




BGAG-2000-ZT
ANGLE GRINDER

Voltage	230-240V~50/60Hz
Input power	2000/2350W
No load speed	6000/min
Max Disc Diameter	180/230mm


BGJS-500-ZT
JIG SAW

Voltage	230-240V~ 50/60Hz
Input power	350/500W
No load speed	0-3000/min
Cutting capacity	55mm


BGEP-1200-ZT
ANGLE POLISHER

Voltage	230-240V~50/60Hz
Input power	1200W
No load speed	0-3000/min
Pad size	150/180mm


BGJS-650-ZT
JIG SAW

Voltage	230-240V~ 50/60Hz
Input power	650/750W
No load speed	0-3000/min
Cutting capacity	65mm


BGJS-350-VI
JIG SAW

Voltage	230V~ 50Hz
Input power	350/400/450/500W
No load speed	0-3000/min
Cutting capacity	55mm


BGJS-850L-ZT
JIG SAW

Aluminum Base

Voltage	230-240V~ 50/60Hz
Input power	850W
No load speed	0-3000/min
Cutting capacity	100mm


BGFS-135-JC
FINISHING SANDER

Voltage	230V~50Hz
Input power	135W
No load speed	11500/min
Pad size	90X187mm


BGJS-350-ZS
JIG SAW

Voltage	220-240V~50Hz
Input power	350W
No load speed	3000/min
Cutting capacity	55mm


BGCS-1200-ZS
CIRCULAR SAW

Voltage	230V~50Hz
Input power	1200W
No load speed	5000/min
Blade dia	185mm


BGJS-560/710/810-ZS
JIG SAW

- With laser can be choice

Voltage	230V~50Hz
Input power	560/710/810W
No load speed	500-3000/min
Cutting capacity	65mm


BGWC-1600-ZW
WALL CHASER

- Soft start
- With Laser
- Thermal overload protection

Voltage	230V~50Hz
Input power	1600W
No load speed	5000/min
Blade dia	150x22.2mm
Cutting depth	10-42mm
Cutting width	14/19/29mm


BGJS-560-ZS
JIG SAW

Voltage	230V~50Hz
Input power	560W
No load speed	500-3000/min
Cutting capacity	55mm

BGRS-800-JJ
RECIPROCATING SAW

- With aluminum

Voltage	230V~50Hz
Input power	800W
No load speed	0-2800/min
Max.cutting capacity	115mm for wood 15mm for steel


BGMFT-250-ZJ
MULTI FUNCTION TOOL

Voltage	230V~50Hz
Input power	250W
No load speed	23000/min
Oscillating degree	3°


BGMT-180Li-ZY
MULTI FUNCTION TOOL

Voltage	18V
Battery capacity	1300mAh
No load speed	5000-18000/min
Oscillation	3°


BGEP-650/900-ZS
ELECTRIC PLANER

Voltage	230-240V~50Hz
Input power	650/900W
No load speed	17000/min
Cutting capacity	82x3mm


BGMT-10.8Li-ZY
MULTI FUNCTION TOOL

Voltage	10.8V
Battery capacity	1300mAh
No load speed	5000-18000/min
Oscillation	3°


BGER-1050/1200-ZS
ELECTRIC ROUTER

Voltage	230V~50Hz
Input power	1050/1200W
No load speed	11500-30000/min 11500-32000/min
Max.cutting capacity	6/8mm




BGHG-1500-ZH
HOT AIR GUN

Voltage	230V~50Hz
Input power	1500W
Temperature/ Airflow:	300°C/500°C 280l/min/450l/min


BGMX-1200-ZG
MIXER

Voltage	220-240V~50Hz
Input power	1200W
No load speed	0-500/0-700/min
Tool connection	M14mm


BGHG-2000-JDC
HOT AIR GUN

Voltage	230V~50Hz
Input power	2000W
Input power/ Temperature/	I:1000W, 350 °C , 300L/min II:2000W, 550 °C , 500L/min


BGWC-36LI-ZY
WINDOW CLEANER

Voltage	3.6V
Battery capacity	1500mAh
Working width	280mm
Wastewater Container	150ml
Spray Bottle	200ml


BGMX-1350-ZW
MIXER

Voltage	230V~50Hz
Input power	1350W
No load speed	100-400/150-700/min
Tool connection	M14


BGST-30-SD
ELECTRIC STAPLE GUN

Voltage	230-240V~50Hz
Impact rate	30/min
Magazine capacity	50pcs ARROW T50 staple 100pcs Bosch 53# staple 100pcs T-brad


BGST-30-SD1
ELECTRIC STAPLE GUN

Voltage	230V~50Hz
Impact rate	30/min
Magazine capacity	50pcs ARROW T50 staple
	100pcs Bosch 53# staple
	50pcs T-brad


BGVC-1000-JL
VACUUM CLEANER

Voltage	220V~60Hz
Input power	1000W
Container	15L SS tank
Vacuum level:	16 Kpa


BGS6-650-ZJR
SPRAYER GUN

Voltage	230~240V-50Hz
Input power	650W
No load speed	32000/min
Capacity	800ml
Nozzle	2.5mm
Water consumption	500ml/min


BGVC-1000P-JL
VACUUM CLEANER

Voltage	230V~50Hz
Input power	1000W
Container	15L PLASTIC TANK
Vacuum level:	14 Kpa


BGCSS-220-ZF
CHAIN SAW SHARPENER

Voltage	230V~50Hz
Input power	220W
No load speed	7500/min
Cable Length	0.35m
Grinding Wheel	100*10*3.2mm


BGMS-850-ZZ
MITRE SAW

Voltage	230V~50Hz
Input power	850W
No load speed	5000/min
Blade dia	190mm.
Max.cutting capacity	45x85mm at 90° 30x60mm at 45°


BGDP-350-JX
DRILL PRESS

Voltage	230V~50Hz
Input power	350W
No load speed	610-2560/min
Chunk size	13mm


BGGT-500-ZW
GRASS TRIMMER

Voltage	230-240V~60Hz
Input power	500W
No load speed	9000/min
Cutting width	32cm
Line diameter	1.6mm, length 8m


BGEB-600-ZF
ELECTRIC BLOWER

Voltage	230V~50Hz
Input power	600W
No load speed	13000/min
Blow rate	2.5m³/min


BGET-300-ZH
ELECTRIC TILLER

Voltage	230V~50Hz
Input power	300W
No load speed	260/min
Till depth	160mm


BGGT-250-ZW
GRASS TRIMMER

Voltage	230-240V~50Hz
Input power	250W
No load speed	11500/min
Cutting width	24cm
Line diameter	1.2mm, length 7m


BGDBS-95-SD
DRILL BIT SHARPENER

Voltage	230V~50Hz
Input power	95W
No load speed	1350min
Working capacity	3-10mm

**BGMS-1200-JS****MITRE SAW**

Input power	1200/1300W
No load speed	4500/min
Blade diameter	Ø210 x Ø 30 x 24T
0°x0° 120 x 55 mm	
0°x45° 120 x 28 mm	
45°x0° 80 x 55 mm	
45°(right)x45° 80x28 mm	

**BGMS-1200E-JS****MITRE SAW**

Input power	1500W
No load speed	4500/min
Blade diameter	Ø210 x Ø 30 x 24T
0°x0° 300 x 60 mm	
0°x45° 300 x 35 mm	
45°x0° 210 x 60mm	
45°(right)x45° 210x35 mm	

**BGWB-2000-JC****WEED BURNER**

Voltage	230V~ 50Hz
Input power	2000W
Temperature/air flow:	
I: 60°C, 550L/min	
II: 650°C, 550L/min	